

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 08.05.2024

Product: **Seclira® Pressurized Insecticide**

Version: 4.0

(30694860/SDS_CPA_AU/EN)

Date of print: 17.09.2024

1. Substance/preparation and manufacturer/supplier identification

Product name: Seclira® Pressurized Insecticide

Use: crop protection product, insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 23, 40 City Road, Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Aspiration hazard: Cat.2

Specific target organ toxicity — single exposure: Cat.3 (May cause drowsiness and dizziness.)

Hazardous to the aquatic environment - acute: Cat.3

Hazardous to the aquatic environment - chronic: Cat.3

Aerosols: Cat.1

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet
Date / Revised: 08.05.2024
Product: **Seclira® Pressurized Insecticide**

Version: 4.0

(30694860/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Signal Word:
Danger

Hazard Statement:

H222 Extremely flammable aerosol.
H305 May be harmful if swallowed and enters airways.
H336 May cause drowsiness or dizziness.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.
H229 Pressurized container: May burst if heated.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271 Use only outdoors or in a well-ventilated area.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or physician.
P331 Do NOT induce vomiting.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, insecticide

BASF Safety data sheet
 Date / Revised: 08.05.2024
 Product: **Seclira® Pressurized Insecticide**

Version: 4.0

(30694860/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Hazardous ingredients

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Content (W/W): 0.5 %

CAS Number: 165252-70-0

Acute Tox.: Cat. 5 (Inhalation - dust)

Acute Tox.: Cat. 4 (oral)

Acute Tox.: Cat. 5 (dermal)

Skin Irrit.: Cat. 3

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

M-factor acute: 10

M-factor chronic: 10

2-Propanone

Content (W/W): < 35 %

CAS Number: 67-64-1

Asp. Tox.: Cat. 2

Flam. Liq.: Cat. 2

Skin Corr./Irrit.: Cat. 3

Eye Dam./Irrit.: Cat. 2A

STOT SE: Cat. 3 (drowsiness and dizziness)

dimethyl ether

Content (W/W): < 20 %

CAS Number: 115-10-6

Press. Gas: Cat. Liquef. Gas

Flam. Gas: Cat. 1A

carbon dioxide

Content (W/W): < 3 %

CAS Number: 124-38-9

Press. Gas: Cat. Compr. Gas

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Note to physician:

BASF Safety data sheet
Date / Revised: 08.05.2024
Product: **Seclira® Pressurized Insecticide**

Version: 4.0

(30694860/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Specific hazards:
carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

BASF Safety data sheet
Date / Revised: 08.05.2024
Product: **Seclira® Pressurized Insecticide**

Version: 4.0

(30694860/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Storage stability:

Storage duration: 60 Months

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

acetone, 67-64-1;

TWA value 250 ppm (ACGIHTLV)
STEL value 500 ppm (ACGIHTLV)
TWA value 1,185 mg/m³ ; 500 ppm (AU NOEL)
STEL value 2,375 mg/m³ ; 1,000 ppm (AU NOEL)

dimethyl ether, 115-10-6;

STEL value 950 mg/m³ ; 500 ppm (AU NOEL)
TWA value 760 mg/m³ ; 400 ppm (AU NOEL)

carbon dioxide, 124-38-9;

TWA value 5,000 ppm (ACGIHTLV)
STEL value 30,000 ppm (ACGIHTLV)
TWA value 9,000 mg/m³ ; 5,000 ppm (AU NOEL)
STEL value 54,000 mg/m³ ; 30,000 ppm (AU NOEL)

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Hand protection not required.

Eye protection:

Eye protection not required.

Body protection:

Body protection not required.

BASF Safety data sheet
 Date / Revised: 08.05.2024
 Product: **Seclira® Pressurized Insecticide**

Version: 4.0

(30694860/SDS_CPA_AU/EN)

Date of print: 17.09.2024

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	aerosol	
Colour:	colourless	
Odour:	of acetone	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 8 - 10 (23 °C)	
Melting point:	approx. -95 °C	
Boiling range:	approx. 56 - 57 °C Information applies to the solvent.	
Flash point:	< -20 °C	(Regulation 440/2008/EC, A.9)
Evaporation rate:	not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	approx. 2 %(V) Information applies to the propellant.	
Upper explosion limit:	approx. 27 %(V) Information applies to the propellant.	
Ignition temperature:	630 °C	(Regulation 440/2008/EC, A.15)
Thermal decomposition:	No exothermic decomposition within the mentioned temperature range.	(DSC (OECD 113))
SADT:	> 75 °C	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.21)
Vapour pressure:	approx. 5,330 hPa (20 °C) Information applies to the propellant.	
Density:	approx. 0.95 g/cm ³ (20 °C)	
Relative vapour density (air):	2 Information based on the main component/s.	
Solubility in water:	soluble	

BASF Safety data sheet
Date / Revised: 08.05.2024
Product: **Seclira® Pressurized Insecticide**

Version: 4.0

(30694860/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Partitioning coefficient n-octanol/water (log Pow):

The statements are based on the
properties of the individual
components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Partitioning coefficient n-octanol/water (log Pow): -0.549
(25 °C)

Viscosity, dynamic: approx. 1.75 mPa.s
(approx. 21 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: (DSC (OECD 113))
No exothermic decomposition within the mentioned
temperature range.

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 5,000 mg/kg

Acute inhalation toxicity

LC50 rat (by inhalation): > 2.05 mg/l

No mortality was observed.

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Not irritating to eyes and skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:
There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:
modified Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Possible narcotic effects (drowsiness or dizziness).

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: carbon dioxide

Assessment of repeated dose toxicity:

Prolonged or repeated exposure by inhalation to high concentrations may cause circulatory insufficiency leading to headache, nausea, vomiting and potentially death.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Cyprinus carpio*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic invertebrates:

EC50 (48 h) > 1,000 mg/l, *Daphnia magna*

EC50 (96 h) 0.79 mg/l, *Mysidopsis bahia*

LC50 (48 h) 0.0721 mg/l, *Chironomus riparius*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic plants:

EC50 (72 h) 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration, 0.089 mg/l, *Mysidopsis bahia*

No observed effect concentration (27 d), 0.003 mg/l, *Chironomus riparius*

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Emptied gas pressure vessels must not be opened.

14. Transport Information

Domestic transport:

UN number or ID number: UN 1950
UN proper shipping name: AEROSOLS
Transport hazard class(es): 2.1
Packing group: Not applicable
Environmental hazards: no

Special precautions for user: None known

Further information

IERG Number:49

Sea transport

IMDG

UN number or ID number: UN 1950
UN proper shipping name: AEROSOLS
Transport hazard class(es): 2.1
Packing group: Not applicable
Environmental hazards: no

Marine pollutant: NO
Special precautions for user: EmS: F-D; S-U

Air transport

IATA/ICAO

UN number or ID number: UN 1950
UN proper shipping name: AEROSOLS, FLAMMABLE
Transport hazard class(es): 2.1
Packing group: Not applicable
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

APVMA Approval No. 83032

Registration status:

AICIS, AU

Contains non-registered, non-listed substance., Individual registration may be required., Please contact your BASF representative.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.